





ПРОМЫШЛЕННЫЙ МЕТАЛЛОРЕЖУЩИЙ ИНСТРУМЕНТ

КОРПУСНЫЕ СВЕРЛА






Артикул	Пластина центральная	Пластина периферийная	DC	LC	L4	L5	D1	D4	BAR	KG
DMT2D-1200F20-SP1	C-S11.01	P-S11.01	12.0	24	45	50	20	25	10	0.149
DMT2D-1250F20-SP1	C-S11.01	P-S11.01	12.5	25	46	50	20	25	10	0.152
DMT2D-1300F20-SP1	C-S11.01	P-S11.01	13.0	26	47	50	20	25	10	0.155
DMT2D-1350F20-SP1	C-S11.01	P-S11.01	13.5	27	47	50	20	25	10	0.158
DMT2D-1400F20-SP2	C-S11.02	P-S11.02	14.0	31	44	50	20	25	10	0.159
DMT2D-1450F20-SP2	C-S11.02	P-S11.02	14.5	33	46	50	20	25	10	0.16
DMT2D-1500F20-SP2	C-S11.02	P-S11.02	15.0	34	47	50	20	25	10	0.163
DMT2D-1550F20-SP2	C-S11.02	P-S11.02	15.5	36.26	49	50	20	25	10	0.167
DMT2D-1600F20-SP2	C-S11.02	P-S11.02	16.0	36.33	51	50	20	25	10	0.175
DMT2D-1650F20-SP3	C-S11.03	P-S11.03	16.5	37.51	52	50	20	25	10	0.173
DMT2D-1700F25-SP3	C-S11.03	P-S11.03	17.0	38.45	53	56	25	32	10	0.283
DMT2D-1750F25-SP3	C-S11.03	P-S11.03	17.5	40.52	55	56	25	32	10	0.288
DMT2D-1800F25-SP3	C-S11.03	P-S11.03	18.0	40.27	56	56	25	32	10	0.293
DMT2D-1850F25-SP3	C-S11.03	P-S11.03	18.5	41.39	57	56	25	32	10	0.297
DMT2D-1880F25-SP3	C-S11.03	P-S11.03	18.8	40.4	56	56	25	32	10	0.297
DMT2D-1900F25-SP3	C-S11.03	P-S11.03	19.0	42.52	58	56	25	32	10	0.302
DMT2D-1950F25-SP3	C-S11.03	P-S11.03	19.5	44.66	60	56	25	32	10	0.307
DMT2D-2000F25-SP4	C-S11.04	P-S11.04	20.0	44.2	61	56	25	32	10	0.316
DMT2D-2050F25-SP4	C-S11.04	P-S11.04	20.5	46.39	64	56	25	32	10	0.327
DMT2D-2100F25-SP4	C-S11.04	P-S11.04	21.0	46.59	64	56	25	32	10	0.323
DMT2D-2150F25-SP4	C-S11.04	P-S11.04	21.5	47.8	65	56	25	32	10	0.323
DMT2D-2200F25-SP4	C-S11.04	P-S11.04	22.0	48	66	56	25	32	10	0.339
DMT2D-2300F25-SP4	C-S11.04	P-S11.04	23.0	51.48	69	56	25	32	10	0.351
DMT2D-2400F25-SP5	C-S11.05	P-S11.05	24.0	53.21	71	56	25	32	10	0.35
DMT2D-2500F25-SP5	C-S11.05	P-S11.05	25.0	56.13	74	56	25	32	10	0.369
DMT2D-2600F32-SP5	C-S11.05	P-S11.05	26.0	56.6	77	60	32	39.6	10	0.587
DMT2D-2700F32-SP5	C-S11.05	P-S11.05	27.0	59.49	79	60	32	39.6	10	0.604
DMT2D-2800F32-SP5	C-S11.05	P-S11.05	28.0	60.79	82	60	32	39.6	10	0.63
DMT2D-2900F32-SP5	C-S11.05	P-S11.05	29.0	62.54	84	60	32	39.6	10	0.653
DMT2D-3000F32-SP6	C-S11.06	P-S11.06	30.0	65.1	87	60	32	39.6	10	0.653
DMT2D-3100F40-SP6	C-S11.06	P-S11.06	31.0	66.75	90	70	40	48	10	1.02
DMT2D-3200F40-SP6	C-S11.06	P-S11.06	32.0	68.18	92	70	40	48	10	1.04
DMT2D-3300F40-SP6	C-S11.06	P-S11.06	33.0	70.74	95	70	40	48	10	1.07
DMT2D-3400F40-SP6	C-S11.06	P-S11.06	34.0	73.43	98	70	40	48	10	1.1
DMT2D-3500F40-SP6	C-S11.06	P-S11.06	35.0	76.24	101	70	40	48	10	1.14
DMT2D-3600F40-SP7	C-S11.07	P-S11.07	36.0	77.35	104	70	40	48	10	1.16
DMT2D-3700F40-SP7	C-S11.07	P-S11.07	37.0	79	105	70	40	48	10	1.193
DMT2D-3800F40-SP7	C-S11.07	P-S11.07	38.0	80.37	108	70	40	48	10	1.244
DMT2D-3900F40-SP7	C-S11.07	P-S11.07	39.0	82.53	110	70	40	48	10	1.29
DMT2D-4000F40-SP7	C-S11.07	P-S11.07	40.0	85.83	113	70	40	48	10	1.32
DMT2D-4100F40-SP7	C-S11.07	P-S11.07	41.0	90.75	117	70	40	48	10	1.38
DMT2D-4200F40-SP7	C-S11.07	P-S11.07	42.0	93.74	119	70	40	48	10	1.42
DMT2D-4300F40-SP7	C-S11.07	P-S11.07	43.0	91.12	122	70	40	49.5	10	1.47
DMT2D-4400F40-SP8	C-S11.08	P-S11.08	44.0	93.23	124	70	40	62.5	10	1.65
DMT2D-4500F40-SP8	C-S11.08	P-S11.08	45.0	95.33	127	70	40	62.5	10	1.71
DMT2D-4600F40-SP8	C-S11.08	P-S11.08	46.0	98.82	130	70	40	62.5	10	1.75
DMT2D-4700F40-SP8	C-S11.08	P-S11.08	47.0	101.34	132	70	40	62.5	10	1.8
DMT2D-4800F40-SP8	C-S11.08	P-S11.08	48.0	104.88	135	70	40	62.5	10	1.86
DMT2D-4900F40-SP8	C-S11.08	P-S11.08	49.0	107.44	137	70	40	62.5	10	1.92
DMT2D-5000F40-SP8	C-S11.08	P-S11.08	50.0	105.46	140	70	40	62.5	10	1.99
DMT2D-5100F40-SP8	C-S11.08	P-S11.08	51.0	108.78	144	70	40	62.5	10	2.11
DMT2D-5200F40-SP8	C-S11.08	P-S11.08	52.0	110.37	146	70	40	62.5	10	2.17




Артикул	Пластина центральная	Пластина периферийная	DC	LC	L4	L5	D1	D4	BAR	KG
DMT2D-5300F40-SP9*	C-S11.09	P-S11.09	53.0	113.41	149	70	40	62.5	10	2.15
DMT2D-5400F40-SP9*	C-S11.09	P-S11.09	54.0	114.73	151	70	40	62.5	10	2.22
DMT2D-5500F40-SP9*	C-S11.09	P-S11.09	55.0	116.67	154	70	40	62.5	10	2.31
DMT2D-5600F40-SP9*	C-S11.09	P-S11.09	56.0	118.52	157	70	40	62.5	10	2.4
DMT2D-5700F40-SP9*	C-S11.09	P-S11.09	57.0	120.68	159	70	40	62.5	10	2.48
DMT2D-5800F40-SP9*	C-S11.09	P-S11.09	58.0	122.93	162	70	40	62.5	10	2.57
DMT2D-5900F40-SP9*	C-S11.09	P-S11.09	59.0	124.85	164	70	40	62.5	10	2.61
DMT2D-6000F40-SP9*	C-S11.09	P-S11.09	60.0	126.60	167	70	40	62.5	10	2.77
DMT2D-6100F40-SP9*	C-S11.09	P-S11.09	61.0	129.80	171	70	40	62.5	10	2.89
DMT2D-6200F40-SP9*	C-S11.09	P-S11.09	62.0	131.55	173	70	40	62.5	10	2.95
DMT2D-6300F40-SP9*	C-S11.09	P-S11.09	63.0	133.60	176	70	40	62.5	10	3.06

* Указанные позиции по запросу.



Артикул	Пластина центральная	Пластина периферийная	DC	LC	L4	L5	D1	D4	BAR	KG
DMT3D-1200F20-SP1	C-S11.01	P-S11.01	12.0	36	57	50	20	25	10	0.156
DMT3D-1250F20-SP1	C-S11.01	P-S11.01	12.5	37.5	58.5	50	20	25	10	0.159
DMT3D-1300F20-SP1	C-S11.01	P-S11.01	13.0	39	60	50	20	25	10	0.162
DMT3D-1350F20-SP1	C-S11.01	P-S11.01	13.5	40.5	60.5	50	20	25	10	0.165
DMT3D-1400F20-SP2	C-S11.02	P-S11.02	14.0	44.88	58	50	20	25	10	0.165
DMT3D-1450F20-SP2	C-S11.02	P-S11.02	14.5	47	60	50	20	25	10	0.165
DMT3D-1500F20-SP2	C-S11.02	P-S11.02	15.0	49.12	62	50	20	25	10	0.17
DMT3D-1505F20-SP2	C-S11.02	P-S11.02	15.5	51.25	64	50	20	25	10	0.174
DMT3D-1600F20-SP2	C-S11.02	P-S11.02	16.0	51.33	66	50	20	25	10	0.185
DMT3D-1650F20-SP3	C-S11.03	P-S11.03	16.5	53.51	68	50	20	25	10	0.183
DMT3D-1700F25-SP3	C-S11.03	P-S11.03	17.0	54.45	69	56	25	32	10	0.292
DMT3D-1750F25-SP3	C-S11.03	P-S11.03	17.5	57.52	72	56	25	32	10	0.306
DMT3D-1800F25-SP3	C-S11.03	P-S11.03	18.0	57.27	73	56	25	32	10	0.311
DMT3D-1850F25-SP3	C-S11.03	P-S11.03	18.5	59.39	75	56	25	32	10	0.318
DMT3D-1900F25-SP3	C-S11.03	P-S11.03	19.0	60.52	76	56	25	32	10	0.322
DMT3D-1930F25-SP3	C-S11.03	P-S11.03	19.3	63.57	79	56	25	32	10	0.324
DMT3D-1950F25-SP3	C-S11.03	P-S11.03	19.5	63.66	79	56	25	32	10	0.339
DMT3D-2000F25-SP4	C-S11.04	P-S11.04	20.0	63.2	81	56	25	32	10	0.346
DMT3D-2050F25-SP4	C-S11.04	P-S11.04	20.5	64.39	82	56	25	32	10	0.344
DMT3D-2100F25-SP4	C-S11.04	P-S11.04	21.0	66.59	84	56	25	32	10	0.352
DMT3D-2150F25-SP4	C-S11.04	P-S11.04	21.5	68.8	86	56	25	32	10	0.365
DMT3D-2200F25-SP4	C-S11.04	P-S11.04	22.0	69.02	87	56	25	32	10	0.375
DMT3D-2250F25-SP4	C-S11.04	P-S11.04	22.5	72.24	90	56	25	32	10	0.382
DMT3D-2300F25-SP4	C-S11.04	P-S11.04	23.0	73.48	91	56	25	32	10	0.392
DMT3D-2350F25-SP4	C-S11.04	P-S11.04	23.5	75.72	93	56	25	32	10	0.386
DMT3D-2400F25-SP5	C-S11.05	P-S11.05	24.0	77.21	95	56	25	32	10	0.396
DMT3D-2450F25-SP5	C-S11.05	P-S11.05	24.5	79.5	97	56	25	32	10	0.41
DMT3D-2500F25-SP5	C-S11.05	P-S11.05	25.0	81.81	99	56	25	32	10	0.41
DMT3D-2530F25-SP5	C-S11.05	P-S11.05	25.3	81.81	99	56	25	32	10	0.419
DMT3D-2550F25-SP5	C-S11.05	P-S11.05	25.5	83.13	100	56	25	32	10	0.631
DMT3D-2600F32-SP5	C-S11.05	P-S11.05	26.0	81.6	102	60	32	39.6	10	0.643
DMT3D-2650F32-SP5	C-S11.05	P-S11.05	26.5	83.79	104	60	32	39.6	10	0.657
DMT3D-2700F32-SP5	C-S11.05	P-S11.05	27.0	85.49	105	60	32	39.6	10	0.672
DMT3D-2750F32-SP5	C-S11.05	P-S11.05	27.5	88.69	108	60	32	39.6	10	0.682
DMT3D-2800F32-SP5	C-S11.05	P-S11.05	28.0	86.65	109	60	32	39.6	10	0.695
DMT3D-2850F32-SP5	C-S11.05	P-S11.05	28.5	88.95	111	60	32	39.6	10	0.708
DMT3D-2900F32-SP5	C-S11.05	P-S11.05	29.0	90.25	112	60	32	39.6	10	0.724
DMT3D-2950F32-SP5	C-S11.05	P-S11.05	29.5	93.57	115	60	32	39.6	10	0.717
DMT3D-3000F32-SP6	C-S11.06	P-S11.06	30.0	95.11	117	60	32	39.6	10	0.729
DMT3D-3050F32-SP6	C-S11.06	P-S11.06	30.5	96.11	118	60	32	39.6	10	1.09
DMT3D-3100F40-SP6	C-S11.06	P-S11.06	31.0	97.75	121	70	40	48	10	1.101
DMT3D-3150F40-SP6	C-S11.06	P-S11.06	31.5	98.94	122	70	40	48	10	1.123
DMT3D-3200F40-SP6	C-S11.06	P-S11.06	32.0	100.18	124	70	40	48	10	1.14
DMT3D-3250F40-SP6	C-S11.06	P-S11.06	32.5	102.39	126	70	40	48	10	1.159
DMT3D-3300F40-SP6	C-S11.06	P-S11.06	33.0	103.74	128	70	40	48	10	1.178
DMT3D-3350F40-SP6	C-S11.06	P-S11.06	33.5	105.98	130	70	40	48	10	1.196
DMT3D-3400F40-SP6	C-S11.06	P-S11.06	34.0	106.43	131	70	40	48	10	1.219
DMT3D-3450F40-SP6	C-S11.06	P-S11.06	34.5	109.7	134	70	40	48	10	1.24
DMT3D-3500F40-SP6	C-S11.06	P-S11.06	35.0	110.24	135	70	40	48	10	1.261
DMT3D-3550F40-SP6	C-S11.06	P-S11.06	35.5	112.54	137	70	40	48	10	1.282
DMT3D-3600F40-SP7	C-S11.07	P-S11.07	36.0	112.35	139	70	40	48	10	1.329
DMT3D-3700F40-SP7	C-S11.07	P-S11.07	37.0	115.9	142	70	40	48	10	1.391




Артикул	Пластина центральная	Пластина периферийная	DC	LC	L4	L5	D1	D4	BAR	KG
DMT3D-3800F40-SP7	C-S11.07	P-S11.07	38.0	118.37	146	70	40	48	10	1.41
DMT3D-3830F40-SP7	C-S11.07	P-S11.07	38.3	119.75	147.5	70	40	48	10	1.418
DMT3D-3850F40-SP7	C-S11.07	P-S11.07	38.5	119.94	147.5	70	40	48	10	1.445
DMT3D-3900F40-SP7	C-S11.07	P-S11.07	39.0	121.54	149	70	40	48	10	1.449
DMT3D-3950F40-SP7	C-S11.07	P-S11.07	39.5	123.39	151	70	40	48	10	1.475
DMT3D-4000F40-SP7	C-S11.07	P-S11.07	40.0	125.83	153	70	40	48	10	1.75
DMT3D-4050F40-SP7	C-S11.07	P-S11.07	40.5	127.89	153	70	40	48	10	1.57
DMT3D-4100F40-SP7	C-S11.07	P-S11.07	41.0	127.82	157	70	40	48	10	1.623
DMT3D-4200F40-SP7	C-S11.07	P-S11.07	42.0	130.88	160	70	40	48	10	1.689
DMT3D-4300F40-SP7	C-S11.07	P-S11.07	43.0	133.12	164	70	40	49.5	10	1.771
DMT3D-4400F40-SP8	C-S11.08	P-S11.08	44.0	136.54	167	70	40	49.5	10	1.815
DMT3D-4500F40-SP8	C-S11.08	P-S11.08	45.0	140.57	172	70	40	49.5	10	1.902
DMT3D-4600F40-SP8	C-S11.08	P-S11.08	46.0	144	176	70	40	49.5	10	1.98
DMT3D-4700F40-SP8	C-S11.08	P-S11.08	47.0	146.07	179	70	40	62.5	10	2.12
DMT3D-4800F40-SP8	C-S11.08	P-S11.08	48.0	149.33	183	70	40	62.5	10	2.3
DMT3D-4900F40-SP8	C-S11.08	P-S11.08	49.0	152.41	186	70	40	62.5	10	2.39
DMT3D-4950F40-SP8	C-S11.08	P-S11.08	49.5	153.7	188	70	40	59	10	2.31
DMT3D-5000F40-SP8	C-S11.08	P-S11.08	50.0	155.46	190	70	40	62.5	10	2.37
DMT3D-5100F40-SP8	C-S11.08	P-S11.08	51.0	158.29	194	70	40	62.5	10	2.58
DMT3D-5200F40-SP8	C-S11.08	P-S11.08	52.0	161.37	197	70	40	62.5	10	2.69
DMT3D-5300F40-SP9*	C-S11.09	P-S11.09	53.0	164.4	201	70	40	62.5	10	2.71
DMT3D-5400F40-SP9*	C-S11.09	P-S11.09	54.0	167.73	204	70	40	62.5	10	2.81
DMT3D-5500F40-SP9*	C-S11.09	P-S11.09	55.0	171.67	209	70	40	62.5	10	2.94
DMT3D-5600F40-SP9*	C-S11.09	P-S11.09	56.0	174.52	213	70	40	62.5	10	3.07
DMT3D-5700F40-SP9*	C-S11.09	P-S11.09	57.0	177.68	216	70	40	62.5	10	3.19
DMT3D-5800F40-SP9*	C-S11.09	P-S11.09	58.0	180.93	220	70	40	62.5	10	3.32
DMT3D-5900F40-SP9*	C-S11.09	P-S11.09	59.0	183.85	223	70	40	62.5	10	3.41
DMT3D-6000F40-SP9*	C-S11.09	P-S11.09	60.0	186.89	227	70	40	62.5	10	3.55
DMT3D-6100F40-SP9*	C-S11.09	P-S11.09	61.0	190.8	232	70	40	62.5	10	3.71
DMT3D-6200F40-SP9*	C-S11.09	P-S11.09	62.0	193.78	235	70	40	62.5	10	3.94
DMT3D-6300F40-SP9*	C-S11.09	P-S11.09	63.0	196.6	239	70	40	62.5	10	4.1

* Указанные позиции по запросу.


4xDc

СОЖ

ISO 9766




Артикул	Пластина центральная	Пластина периферийная	DC	LC	L4	L5	D1	D4	BAR	KG
DMT4D-1200F20-SP1	C-S11.01	P-S11.01	12,00	48	69	50	20	25	10	0,163
DMT4D-1250F20-SP1	C-S11.01	P-S11.01	12,50	50	71	50	20	25	10	0,166
DMT4D-1300F20-SP1	C-S11.01	P-S11.01	13,00	52	73	50	20	25	10	0,169
DMT4D-1350F20-SP1	C-S11.01	P-S11.01	13,50	54	74	50	20	25	10	0,172
DMT4D-1400F20-SP2	C-S11.02	P-S11.02	14,00	59,01	72	50	20	25	10	0,174
DMT4D-1450F20-SP2	C-S11.02	P-S11.02	14,50	62,13	75	50	20	25	10	0,175
DMT4D-1500F20-SP2	C-S11.02	P-S11.02	15,00	64,87	77	50	20	25	10	0,178
DMT4D-1550F20-SP2	C-S11.02	P-S11.02	15,50	66,4	79	50	20	25	10	0,184
DMT4D-1600F20-SP2	C-S11.02	P-S11.02	16,00	67,51	82	50	20	25	10	0,194
DMT4D-1650F20-SP3	C-S11.03	P-S11.03	16,50	69,7	84	50	20	25	10	0,195
DMT4D-1700F25-SP3	C-S11.03	P-S11.03	17,00	71,54	86	56	25	32	10	0,305
DMT4D-1750F25-SP3	C-S11.03	P-S11.03	17,50	73,79	89	56	25	32	10	0,317
DMT4D-1800F25-SP3	C-S11.03	P-S11.03	18,00	75,4	91	56	25	32	10	0,323
DMT4D-1850F25-SP3	C-S11.03	P-S11.03	18,50	77,53	93	56	25	32	10	0,330
DMT4D-1900F25-SP3	C-S11.03	P-S11.03	19,00	79,66	95	56	25	32	10	0,340
DMT4D-1925F25-SP3	C-S11.03	P-S11.03	19,25	83,7	99	56	25	32	10	0,343
DMT4D-1950F25-SP3	C-S11.03	P-S11.03	19,50	83,8	99	56	25	32	10	0,347
DMT4D-2000F25-SP4	C-S11.04	P-S11.04	20,00	83,38	101	56	25	32	10	0,365
DMT4D-2050F25-SP4	C-S11.04	P-S11.04	20,50	86,58	104	56	25	32	10	0,375
DMT4D-2100F25-SP4	C-S11.04	P-S11.04	21,00	89,78	105	56	25	32	10	0,374
DMT4D-2150F25-SP4	C-S11.04	P-S11.04	21,50	89,56	107,5	56	25	32	10	0,387
DMT4D-2200F25-SP4	C-S11.04	P-S11.04	22,00	91,22	109	56	25	32	10	0,397
DMT4D-2250F25-SP4	C-S11.04	P-S11.04	22,50	93,63	112	56	25	32	10	0,406
DMT4D-2300F25-SP4	C-S11.04	P-S11.04	23,00	95,6	114	56	25	32	10	0,417
DMT4D-2400F25-SP5	C-S11.05	P-S11.05	24,00	101,48	119	56	25	32	10	0,426
DMT4D-2450F25-SP5	C-S11.05	P-S11.05	24,50	102,36	121,5	56	25	32	10	0,443
DMT4D-2500F25-SP5	C-S11.05	P-S11.05	25,00	107,1	124	56	25	32	10	0,456
DMT4D-2525F25-SP5	C-S11.05	P-S11.05	25,25	107,24	124	56	25	32	10	0,460
DMT4D-2600F32-SP5	C-S11.05	P-S11.05	26,00	107,79	128	60	32	39,6	10	0,686
DMT4D-2650F32-SP5	C-S11.05	P-S11.05	26,50	109,98	130	60	32	39,6	10	0,702
DMT4D-2700F32-SP5	C-S11.05	P-S11.05	27,00	112,19	132	60	32	39,6	10	0,717
DMT4D-2800F32-SP5	C-S11.05	P-S11.05	28,00	115,66	137	60	32	39,6	10	0,748
DMT4D-2900F32-SP5	C-S11.05	P-S11.05	29,00	120,24	141	60	32	39,6	10	0,781
DMT4D-2950F32-SP6	C-S11.06	P-S11.06	29,50	123,2	144	60	32	39,6	10	0,801
DMT4D-3000F32-SP6	C-S11.06	P-S11.06	30,00	125,5	147	60	32	39,6	10	0,801
DMT4D-3100F40-SP6	C-S11.06	P-S11.06	31,00	128	152	70	40	48	10	1,180
DMT4D-3200F40-SP6	C-S11.06	P-S11.06	32,00	131,98	156	70	40	48	10	1,218
DMT4D-3300F40-SP6	C-S11.06	P-S11.06	33,00	136,61	161	70	40	48	10	1,264
DMT4D-3400F40-SP6	C-S11.06	P-S11.06	34,00	140,74	165	70	40	48	10	1,312
DMT4D-3500F40-SP6	C-S11.06	P-S11.06	35,00	145,58	170	70	40	48	10	1,369
DMT4D-3600F40-SP7	C-S11.07	P-S11.07	36,00	148,89	175	70	40	48	10	1,431
DMT4D-3700F40-SP7	C-S11.07	P-S11.07	37,00	151,71	179	70	40	48	10	1,484
DMT4D-3800F40-SP7	C-S11.07	P-S11.07	38,00	157,09	184	70	40	48	10	1,546
DMT4D-3900F40-SP7	C-S11.07	P-S11.07	39,00	161,85	188	70	40	48	10	1,620
DMT4D-4000F40-SP7	C-S11.07	P-S11.07	40,00	167,65	193	70	40	48	10	1,771
DMT4D-4100F40-SP7	C-S11.07	P-S11.07	41,00	168,69	198	70	40	48	10	1,860
DMT4D-4200F50-SP7	C-S11.07	P-S11.07	42,00	172,18	202	80	50	62,5	10	2,640
DMT4D-4300F50-SP7	C-S11.07	P-S11.07	43,00	176	207	80	50	62,5	10	2,740
DMT4D-4400F50-SP8	C-S11.08	P-S11.08	44,00	180,04	211	80	50	62,5	10	2,833
DMT4D-4500F50-SP8	C-S11.08	P-S11.08	45,00	185,224	217	80	50	62,5	10	2,953
DMT4D-4600F50-SP8	C-S11.08	P-S11.08	46,00	188,97	22	80	50	62,5	10	3,056
DMT4D-4700F50-SP8	C-S11.08	P-S11.08	47,00	193,1	226	80	50	62,5	10	3,124



Артикул	Пластина центральная	Пластина периферийная	DC	LC	L4	L5	D1	D4	BAR	KG
DMT4D-4800F50-SP8	C-S11.08	P-S11.08	48,00	197	231	80	50	62,5	10	3,250
DMT4D-4900F50-SP8	C-S11.08	P-S11.08	49,00	201,18	235	80	50	62,5	10	3,365
DMT4D-5000F50-SP8	C-S11.08	P-S11.08	50,00	204,98	240	80	50	62,5	10	3,510
DMT4D-5050F50-SP8	C-S11.08	P-S11.08	50,50	208,229	242	80	50	62,5	10	3,560
DMT4D-5100F50-SP8	C-S11.08	P-S11.08	51,00	209,17	245	80	50	62,5	10	3,610
DMT4D-5200F50-SP8	C-S11.08	P-S11.08	52,00	213,03	249	80	50	62,5	10	3,750
DMT4D-5300F50-SP9*	C-S11.09	P-S11.09	53,00	218	253	80	50	62,5	10	3,830
DMT4D-5400F50-SP9*	C-S11.09	P-S11.09	54,00	221,98	258	80	50	62,5	10	3,920
DMT4D-5500F50-SP9*	C-S11.09	P-S11.09	55,00	226	263	80	50	62,5	10	4,120
DMT4D-5600F50-SP9*	C-S11.09	P-S11.09	56,00	230,68	269	80	50	62,5	10	4,320
DMT4D-5700F50-SP9*	C-S11.09	P-S11.09	57,00	234	273	80	50	62,5	10	4,450
DMT4D-5800F50-SP9*	C-S11.09	P-S11.09	58,00	238,95	277	80	50	62,5	10	4,630
DMT4D-5900F50-SP9*	C-S11.09	P-S11.09	59,00	242	282	80	50	62,5	10	4,920
DMT4D-6000F50-SP9*	C-S11.09	P-S11.09	60,00	246	287	80	50	62,5	10	5,230
DMT4D-6100F50-SP9*	C-S11.09	P-S11.09	61,00	250	292	80	50	62,5	10	5,550
DMT4D-6200F50-SP9*	C-S11.09	P-S11.09	62,00	254	296	80	50	62,5	10	5,870
DMT4D-6300F50-SP9*	C-S11.09	P-S11.09	63,00	258	301	80	50	62,5	10	6,180

* Указанные позиции по запросу.




Артикул	Пластина центральная	Пластина периферийная	DC	LC	L4	L5	D1	D4	BAR	KG
DMT5D-1200F20-SP1	C-S11.01	P-S11.01	12,00	60	81	50	20	25	10	0,167
DMT5D-1250F20-SP1	C-S11.01	P-S11.01	12,50	63,5	83,5	50	20	25	10	0,170
DMT5D-1300F20-SP1	C-S11.01	P-S11.01	13,00	65	86	50	20	25	10	0,173
DMT5D-1350F20-SP1	C-S11.01	P-S11.01	13,50	67,5	87,5	50	20	25	10	0,176
DMT5D-1400F20-SP2	C-S11.02	P-S11.02	14,00	73,65	86	50	20	25	10	0,180
DMT5D-1450F20-SP2	C-S11.02	P-S11.02	14,50	76,76	89	50	20	25	10	0,181
DMT5D-1500F20-SP2	C-S11.02	P-S11.02	15,00	79,26	92	50	20	25	10	0,187
DMT5D-1550F20-SP2	C-S11.02	P-S11.02	15,50	82,4	95	50	20	25	10	0,194
DMT5D-1600F20-SP2	C-S11.02	P-S11.02	16,00	83,5	98	50	20	25	10	0,208
DMT5D-1650F20-SP3	C-S11.03	P-S11.03	16,50	86,7	101	50	20	25	10	0,207
DMT5D-1700F25-SP3	C-S11.03	P-S11.03	17,00	88	103	56	25	32	10	0,317
DMT5D-1750F25-SP3	C-S11.03	P-S11.03	17,50	91,27	107	56	25	32	10	0,331
DMT5D-1800F25-SP3	C-S11.03	P-S11.03	18,00	93,4	109	56	25	32	10	0,339
DMT5D-1850F25-SP3	C-S11.03	P-S11.03	18,50	96,52	112	56	25	32	10	0,348
DMT5D-1900F25-SP3	C-S11.03	P-S11.03	19,00	98,66	114	56	25	32	10	0,356
DMT5D-1925F25-SP3	C-S11.03	P-S11.03	19,25	102,73	118	56	25	32	10	0,363
DMT5D-1950F25-SP3	C-S11.03	P-S11.03	19,50	102,8	118	56	25	32	10	0,367
DMT5D-2000F25-SP4	C-S11.04	P-S11.04	20,00	103,38	121	56	25	32	10	0,388
DMT5D-2050F25-SP4	C-S11.04	P-S11.04	20,50	105,57	123	56	25	32	10	0,398
DMT5D-2100F25-SP4	C-S11.04	P-S11.04	21,00	108,78	126	56	25	32	10	0,401
DMT5D-2150F25-SP4	C-S11.04	P-S11.04	21,50	111	128,5	56	25	32	10	0,411
DMT5D-2200F25-SP4	C-S11.04	P-S11.04	22,00	113,22	131	56	25	32	10	0,425
DMT5D-2300F25-SP4	C-S11.04	P-S11.04	23,00	119,89	138	56	25	32	10	0,459
DMT5D-2400F25-SP5	C-S11.05	P-S11.05	24,00	125,47	143	56	25	32	10	0,470
DMT5D-2500F25-SP5	C-S11.05	P-S11.05	25,00	132,09	149	56	25	32	10	0,502
DMT5D-2525F25-SP5	C-S11.05	P-S11.05	25,25	132,22	149	56	25	32	10	0,507
DMT5D-2600F32-SP5	C-S11.05	P-S11.05	26,00	133,78	154	60	32	39,6	10	0,739
DMT5D-2650F32-SP5	C-S11.05	P-S11.05	26,50	136,49	156,5	60	32	39,6	10	0,755
DMT5D-2700F32-SP5	C-S11.05	P-S11.05	27,00	139,18	159	60	32	39,6	10	0,775
DMT5D-2800F32-SP5	C-S11.05	P-S11.05	28,00	143,28	165	60	32	39,6	10	0,814
DMT5D-2900F32-SP5	C-S11.05	P-S11.05	29,00	149,53	171	60	32	39,6	10	0,855
DMT5D-3000F32-SP6	C-S11.06	P-S11.06	30,00	155,49	177	60	32	39,6	10	0,880
DMT5D-3100F40-SP6	C-S11.06	P-S11.06	31,00	159	183	70	40	48	10	1,260
DMT5D-3200F40-SP6	C-S11.06	P-S11.06	32,00	164,42	188	70	40	48	10	1,310
DMT5D-3300F40-SP6	C-S11.06	P-S11.06	33,00	169,2	194	70	40	48	10	1,364
DMT5D-3400F40-SP6	C-S11.06	P-S11.06	34,00	175,73	200	70	40	48	10	1,426
DMT5D-3500F40-SP6	C-S11.06	P-S11.06	35,00	181,57	206	70	40	48	10	1,495
DMT5D-3600F40-SP7	C-S11.07	P-S11.07	36,00	186	212	70	40	48	10	1,574
DMT5D-3700F40-SP7	C-S11.07	P-S11.07	37,00	189	216	70	40	48	10	1,643
DMT5D-3800F40-SP7	C-S11.07	P-S11.07	38,00	195,08	222	70	40	48	10	1,720
DMT5D-3900F40-SP7	C-S11.07	P-S11.07	39,00	201,84	228	70	40	48	10	1,793
DMT5D-4000F40-SP7	C-S11.07	P-S11.07	40,00	208,64	234	70	40	48	10	1,841
DMT5D-4100F40-SP7	C-S11.07	P-S11.07	41,00	215,51	240	70	40	48	10	2,110
DMT5D-4200F50-SP7	C-S11.07	P-S11.07	42,00	219,85	245	80	50	62,5	10	2,854
DMT5D-4300F50-SP7	C-S11.07	P-S11.07	43,00	226,16	251	80	50	62,5	10	2,969
DMT5D-4400F50-SP8	C-S11.08	P-S11.08	44,00	223,99	255	80	50	62,5	10	3,153
DMT5D-4500F50-SP8	C-S11.08	P-S11.08	45,00	230,14	262	80	50	62,5	10	3,281
DMT5D-4600F50-SP8	C-S11.08	P-S11.08	46,00	234,97	268	80	50	62,5	10	3,410
DMT5D-4700F50-SP8	C-S11.08	P-S11.08	47,00	240,1	273	80	50	62,5	10	3,520
DMT5D-4800F50-SP8	C-S11.08	P-S11.08	48,00	245	279	80	50	62,5	10	3,675
DMT5D-4900F50-SP8	C-S11.08	P-S11.08	49,00	250,18	284	80	50	62,5	10	3,827
DMT5D-5000F50-SP8	C-S11.08	P-S11.08	50,00	254,92	290	80	50	62,5	10	3,990

5xDc


COЖ

ISO 9766




Артикул	Пластина центральная	Пластина периферийная	DC	LC	L4	L5	D1	D4	BAR	KG
DMT5D-5100F50-SP8	C-S11.08	P-S11.08	51,00	259,47	296	80	50	62,5	10	4,131
DMT5D-5200F50-SP8	C-S11.08	P-S11.08	52,00	265	301	80	50	62,5	10	4,305
DMT5D-5300F50-SP9*	C-S11.09	P-S11.09	53	269,37	307,5	80	50	62,5	10	4,285
DMT5D-5400F50-SP9*	C-S11.09	P-S11.09	54	275,95	312	80	50	62,5	10	4,457
DMT5D-5500F50-SP9*	C-S11.09	P-S11.09	55	279,1	314,5	80	50	62,5	10	4,648
DMT5D-5600F50-SP9*	C-S11.09	P-S11.09	56	284,11	318	80	50	62,5	10	4,794
DMT5D-5700F50-SP9*	C-S11.09	P-S11.09	57	289,22	321,5	80	50	62,5	10	4,888
DMT5D-5800F50-SP9*	C-S11.09	P-S11.09	58	297,46	327	80	50	62,5	10	5,086
DMT5D-5900F50-SP9*	C-S11.09	P-S11.09	59	299,03	337	80	50	62,5	10	5,458
DMT5D-6000F50-SP9*	C-S11.09	P-S11.09	60	312,25	345	80	50	62,5	10	5,719
DMT5D-6100F50-SP9*	C-S11.09	P-S11.09	61	309,12	340	80	50	62,5	10	5,784
DMT5D-6200F50-SP9*	C-S11.09	P-S11.09	62	314,82	341	80	50	62,5	10	5,942
DMT5D-6300F50-SP9*	C-S11.09	P-S11.09	63	319,65	339	80	50	62,5	10	6,078


* Указанные позиции по запросу.



Типоразмер	Артикул Tactic	Размеры (мм)			Условия применения	Сплав		
		IC	S	RE		DPN250	DUN250	DMN235
01	C-S11.0103.S-LM	4.57	2	0.3	Средняя подача		●	●
	C-S11.0103.S-GR	4.57	2	0.3	Высокая подача	●	●	
02	C-S11.0204.S-LM	4.9	2.4	0.4	Средняя подача		●	●
	C-S11.0204.S-GM	4.9	2.4	0.4	Средняя подача	●	●	
	C-S11.0204.S-GR	4.9	2.4	0.4	Высокая подача		●	
03	C-S11.0305.S-LM	5.7	2.6	0.5	Средняя подача		●	●
	C-S11.0305.S-GM	5.7	2.6	0.5	Средняя подача	●	●	
	C-S11.0305.S-GR	5.7	2.6	0.5	Высокая подача	●	●	
04	C-S11.0405.S-LM	6.8	2.8	0.5	Средняя подача		●	●
	C-S11.0405.S-GM	6.8	2.8	0.5	Средняя подача	●	●	
	C-S11.0405.S-GR	6.8	2.8	0.5	Высокая подача		●	
05	C-S11.0505.S-LM	8.4	3	0.5	Средняя подача		●	●
	C-S11.0505.S-GM	8.4	3	0.5	Средняя подача	●	●	
	C-S11.0505.S-GR	8.4	3	0.5	Высокая подача		●	
06	C-S11.0606.S-LM	10.2	3.5	0.6	Средняя подача		●	●
	C-S11.0606.S-GM	10.2	3.5	0.6	Средняя подача	●	●	
	C-S11.0606.S-GR	10.2	3.5	0.6	Высокая подача		●	
07	C-S11.0706.S-LM	12.4	4	0.6	Средняя подача		●	●
	C-S11.0706.S-GM	12.4	4	0.6	Средняя подача	●	●	
	C-S11.0706.S-GR	12.4	4	0.6	Высокая подача		●	
08	C-S11.0808.S-LM	14.9	4.5	0.8	Средняя подача		●	●
	C-S11.0808.S-GM	14.9	4.5	0.8	Средняя подача	●	●	
	C-S11.0808.S-GR	14.9	4.5	0.8	Высокая подача		●	
09	C-S11.0908.S-LM	17.9	5.5	0.8	Средняя подача		●	●
	C-S11.0908.S-GR	17.9	5.5	0.8	Высокая подача		●	
P						●	●	○
M						○	○	●
K						●	●	
N							○	
S							○	●
H						●	○	




Типоразмер	Артикул Tactic	Размеры (мм)			Условия применения	Сплав			
		IC	S	RE		DPN250	DUN250	DMN225	DPN130
01	P-S11.0104.S-LM	4.6	2	0.4	Средняя подача		●	●	
	P-S11.0104.S-GR	4.6	2	0.4	Высокая подача	●	●		●
02	P-S11.0204.S-GM	5.1	2.4	0.4	Средняя подача	●	●		
	P-S11.0205.S-LM	5.1	2.4	0.5	Средняя подача		●	●	
03	P-S11.0205.S-GR	5.1	2.4	0.5	Высокая подача		●		●
	P-S11.0305.S-GM	6	2.6	0.5	Средняя подача	●	●		
04	P-S11.0306.S-LM	6	2.6	0.6	Средняя подача		●	●	
	P-S11.0306.S-GR	6	2.6	0.6	Высокая подача		●		●
05	P-S11.0405.S-GM	7.4	2.8	0.5	Средняя подача	●	●		
	P-S11.0407.S-LM	7.4	2.8	0.7	Средняя подача		●	●	
06	P-S11.0407.S-GR	7.4	2.8	0.7	Высокая подача		●		●
	P-S11.0505.S-GM	8.9	3	0.5	Средняя подача	●	●		
07	P-S11.0508.S-LM	8.9	3	0.8	Средняя подача		●	●	
	P-S11.0508.S-GR	8.9	3	0.8	Высокая подача		●		●
08	P-S11.0606.S-GM	10.7	3.5	0.6	Средняя подача	●	●		
	P-S11.0608.S-LM	10.7	3.5	0.8	Средняя подача		●	●	
09	P-S11.0610.S-GR	10.7	3.5	1.0	Высокая подача		●		●
	P-S11.0706.S-GM	12.7	4	0.6	Средняя подача	●	●		
10	P-S11.0710.S-LM	12.7	4	1.0	Средняя подача		●	●	
	P-S11.0712.S-GR	12.7	4	1.2	Высокая подача		●		●
11	P-S11.0808.S-GM	15.5	4.5	0.8	Средняя подача	●	●		
	P-S11.0810.S-LM	15.5	4.5	1.0	Средняя подача		●	●	
12	P-S11.0812.S-GR	15.5	4.5	1.2	Высокая подача		●		●
	P-S11.0910.S-LM	18.6	5.5	1.0	Средняя подача		●	●	
	P-S11.0912.S-GR	18.6	5.5	1.2	Высокая подача		●		●
P						●	●	○	●
M						○	○	●	
K						●	●		●
N							○		
S							○	●	
H						●	○		



Артикул	Размеры (мм)								Типоразмер применяемых пластин
	DC	DCONMS	WF	LU	LPR	LS	Dmin	CNT	
XCP-3120-16T1-06	12	16	8.5	27.0	33.0	45	14.5	G1/8	XCMT06
XCP-3140-16T1-07	14	16	9.5	31.5	38.5	45	16.5	G1/8	XCMT07
XCP-3160-20T1-08	16	20	11.1	36.0	44.0	50	19.0	G1/8	XCMT08
XCP-3200-25T1-10	20	25	13.2	45.0	55.0	56	23.5	G1/8	XCMT10
XCP-3250-32T1-13	25	32	16.5	56.2	69.0	61	29.0	G1/8	XCMT13
XCP-3320-40T1-17	32	40	20.5	72.0	86.0	74	36.5	G1/8	XCMT17

Запасные части		
Типоразмер инструмента	Винт	Ключ
XCP-3120	CSG2252-P	CTS07W-P
XCP-3140	CSG2565-P	CTS08W-P
XCP-3160	CSG3085-P	CTS10W-P
XCP-3200	CSG3585-P	CTS10W-P
XCP-3250	CSC4511	CTS15W
XCP-3320	CSG5012-P	CTS20W-P



Артикул	Размеры (мм)				Точение		Сверление	Сплав
	IC	L	S	RE	ap мм	f мм/об	f мм/об	RD320
XСМТ060204	6.4	6.4	2.38	0.4	0.3-2.5	0.03-0.20	0.03-0.12	●
XСМТ070304	7.5	7.5	3.18	0.4	0.4-2.8	0.05-0.22	0.03-0.13	
XСМТ080304	8.4	8.4	3.18	0.4	0.4-3.2	0.06-0.25		
XСМТ10Т304	10.5	10.5	3.97	0.4	0.5-3.5	0.06-0.30		
XСМТ10Т308				0.8				
XСМТ130404	13.4	13.4	4.76	0.4	0.6-4.3	0.08-0.33		
XСМТ130408				0.8				
XСМТ170508	17.4	17.4	5.56	0.8	0.7-5.3	0.10-0.38		



Г. САНКТ-ПЕТЕРБУРГ,
УЛ. СТАРОДЕРЕВЕНСКАЯ, 11, К. 2

ТЕХНИЧЕСКИЙ ОТДЕЛ
+7(812) 339-33-47

ОТДЕЛ ПРОДАЖ
+7(812) 339-33-47

TACTIC-TOOL.RU